

Journal of Magnetic Resonance

EDITOR: Wallace S. Brey, Jr.

EDITORIAL BOARD:

David C. Ailion
E. Raymond Andrew
Michael Barfield
Edwin D. Becker
Aksel A. Bothner-By
Richard Ernst
Ray Freeman
Eiichi Fukushima
R. K. Harris
David I. Hoult

James S. Hyde
Hans J. Jakobsen
Charles S. Johnson, Jr.
J. Jonas
Reinhold Kaiser
Gerd La Mar
Pierre Laszlo
Gary E. Maciel
R. E. D. McClung
Bruce McGarvey

Stanley J. Opella
D. T. Pegg
Rex E. Richards
A. Rigamonti
Bernard L. Shapiro
Ian C. P. Smith
E. O. Stejskal
Regitze R. Vold
D. E. Woessner

Volume 77, 1988



ACADEMIC PRESS, INC.

Harcourt Brace Jovanovich, Publishers

San Diego New York Boston

London Sydney Tokyo Toronto

Copyright © 1988 by Academic Press, Inc.

All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1988 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0022-2364/88 \$3.00

MADE IN THE UNITED STATES OF AMERICA

CONTENTS OF VOLUME 77

NUMBER 1, MARCH 1988

A. A. SUVERNEV AND S. I. TEMKIN. Direct Determination of the Superslow Rotation Mechanism by Pulse ESR Spectroscopy	1
PIERRE GILLIS AND BERNARD BORCARD. Nuclear Magnetic Relaxation Dispersion of Silica Particle Suspensions	19
K. BALASUBRAMANIAN. Computer Generation of NMR Signal and Intensity Patterns	33
MANFRED G. PRAMMER, JOHN C. HASELGROVE, MEIR SHINNAR, AND JOHN S. LEIGH. A New Approach to Automatic Shimming	40
TOSHIMICHI FUJIWARA AND KUNIAKI NAGAYAMA. Composite Inversion Pulses with Frequency Switching and Their Application to Broadband Decoupling	53
WOLFGANG HÄNICKE, KLAUS-DIETMAR MERBOLDT, AND JENS FRAHM. Slice Selection and T_1 Contrast in FLASH NMR Imaging	64
MARTIN M. MALTEMPO, SANDRA S. EATON, AND GARETH R. EATON. Reconstruction of Spectral-Spatial Two-Dimensional EPR Images from Incomplete Sets of Projections without Prior Knowledge of the Component Spectra	75
HANS-HEINRICH LIMBACH, BERND WEHRLE, MARTIN SCHLABACH, RAYMOND KENDRICK, AND COSTANTINO S. YANNONI. CPMAS Polarization Transfer Methods for Superposed Chemical Exchange and Spin Diffusion in Organic Solids	84
JAN FRIEDRICH AND RAY FREEMAN. Spatial Localization Using a "Straddle Coil"	101
MARC A. DELSUC. Spectral Representation of 2D NMR Spectra by Hypercomplex Numbers	119
ALEX D. BAIN. Heteronuclear Chemical-Shift Correlation by Fully Coupled Phase-Sensitive Two-Dimensional NMR, a Robust Experiment	125
AD BAX. Correction of Cross-Peak Intensities in 2D Spin-Locked NOE Spectroscopy for Offset and Hartmann-Hahn Effects	134

NOTES

P. P. MAN. Measurement of Quadrupolar Spin Population by Solid-State NMR	148
PETER SMITH AND WILLIAM H. DONOVAN. EPR Study of Magnetic Inequivalence of β -Methylene Protons Arising from a Nonadjacent β -Carbon Chiral Center	155
W. P. AUE, F. LAZEYRAS, AND F. TERRIER. Quantitative Proton Chemical-Shift Imaging	160

COMMUNICATIONS

STEPHEN C. BROWN, PAUL L. WEBER, AND LUCIANO MUELLER. Toward Complete ^1H NMR Spectra in Proteins	166
OLE W. SØRENSEN, JENS CHR. MADSEN, NIELS CHR. NIELSEN, HENRIK BILDSØE, AND HANS J. JAKOBSEN. An Improved Refocused INEPT Experiment. Application for Sensitivity Enhancement and Spectral Editing in ^{13}C NMR	170
F. LOAIZA, M. A. MCCOY, S. L. HAMMES, AND W. S. WARREN. Selective Excitation without Phase Distortion Using Self-Refocused Amplitude- and Amplitude/Phase-Modulated Pulses	175
S. MATSUI, K. SEKIHARA, H. SHIONO, AND H. KOHNO. A Static NMR Image of a Rotating Object	182
J. B. MILLER AND A. N. GARROWAY. NMR Imaging of Solids with a Surface Coil	187
URS EGGENBERGER, PETER PFÄNDLER, AND GEOFFREY BODENHAUSEN. Folding and Pattern Recognition in Two-Dimensional NMR Spectra	192

BOOK REVIEWS

<i>Principles of Nuclear Magnetic Resonance in One and Two Dimensions.</i> By Richard R. Ernst, Geoffrey Bodenhausen, and Alexander Wokaun.	197
<i>Carbon-Carbon and Carbon-Proton NMR Couplings: Applications to Organic Stereochemistry and Conformational Analysis.</i> By James L. Marshall.	199
<i>Modern NMR Techniques for Chemistry Research.</i> By Andrew E. Derome.	200
MEETINGS AND ANNOUNCEMENTS	201

NUMBER 2, APRIL 1988

MARTIN J. BLACKLEDGE AND PETER STYLES. Effect of Pulse Angle Imperfection and Resonance Offset in the Phase-Modulated Rotating-Frame Spectroscopic Imaging Experiment	203
---	-----

D. T. EDMONDS AND M. R. WORMALD. Theory of Resonance in Magnetically Inhomogeneous Specimens and Some Useful Calculations	223
C. J. HARDY, P. A. BOTTOMLEY, M. O'DONNELL, AND P. ROEMER. Optimization of Two-Dimensional Spatially Selective NMR Pulses by Simulated Annealing	233
H. J. M. DE GROOT, V. COPIÉ, S. O. SMITH, P. J. ALLEN, C. WINKEL, J. LUGTENBURG, J. HERZFELD, AND R. G. GRIFFIN. Magic-Angle-Sample-Spinning NMR Difference Spectroscopy	251
LEWIS E. KAY AND R. E. D. MCCLUNG. A Product Operator Description of AB and ABX Spin Systems	258
A. J. SHAKA, C. J. LEE, AND A. PINES. Iterative Schemes for Bilinear Operators; Application to Spin Decoupling	274
HANS GRAHN, FRANK DELAGLIO, MARC A. DELSUC, AND GEORGE C. LEVY. Multivariate Data Analysis for Pattern Recognition in Two-Dimensional NMR	294
W. KREIBICH AND A. SCHWENK. Rapid and Irreversible Demagnetization of Liquid Samples	308
SŁAWOMIR SZYMANSKI. Theory of Magnetic Equivalence Breaking in Dynamic NMR	320

NOTES

WU XIAOLING, ZHANG SHANMIN, AND WU XUEWEN. Selective Polarization Inversion in Solid State High-Resolution CP MAS NMR	343
P. JONSEN. Theoretical Aspects of ^{14}N Self-Decoupling in ^{13}C CPMAS NMR	348
JOHN CAVANAGH AND JAMES KEELER. Improvement of Carbon-13 Satellite Spectra by Double Difference Spectroscopy	356
WILLIAM A. BUBB, KIARAN KIRK, AND PHILIP W. KUCHEL. Ethylene Glycol as a Thermometer for X-Nucleus Spectroscopy in Biological Samples	363
J. Z. PEDERSEN AND R. P. COX. Use of Flat Glass Capillaries as ESR Aqueous Sample Cells	369
KLAAS P. DATEMA, B. JOS H. VAN BOXTEL, AND MARCUS A. HEMMINGA. Dynamic Properties of M13 Coat Protein in Mixed Bilayers. A Deuterium NMR Study of Exchangeable Proton Sites	372

COMMUNICATIONS

RICHARD E. ENGLER, ERIC R. JOHNSTON, AND CHARLES G. WADE. Dynamic Parameters from Nonselectively Generated 1D Exchange Spectra	377
--	-----

CHRISTOPHER H. SOTAK AND DOMINIQUE M. FREEMAN. A Method for Volume-Localized Lactate Editing Using Zero-Quantum Coherence Created in a Stimulated-Echo Pulse Sequence	382
A. HENSTRA, P. DIRKSEN, J. SCHMIDT, AND W. TH. WENCKEBACH. Nu- clear Spin Orientation via Electron Spin Locking (NOVEL)	389
MARJANA NOVIČ, URS EGGENBERGER, AND GEOFFREY BODENHAUSEN. Similarities between Self-Convolution and Symmetry Mapping of Multiplets in Two-Dimensional NMR Spectra	394
H. KESSLER, G. GEMMECKER, AND B. HAASE. Relayed-NOE Experiments in the Rotating Frame for Sequence Analysis of Peptides	401
MEETINGS AND ANNOUNCEMENTS	409

NUMBER 3, MAY 1988

D. M. WANG AND J. R. PILBROW. Symmetry Relationships for the Four Energy Levels and the Angular Property of the EPR Spectra for a Spin- $\frac{3}{2}$ System	411
W. STUDER. SMART, a General Purpose Pulse Experiment Simulation Pro- gram Using Numerical Density Matrix Calculations	424
W. A. BARTON AND L. J. LYNCH. Two-Pulse NMR Techniques for Studying Proton-Unpaired Electron Interactions in Coals and Chars	439
D. R. BAILES, D. J. BRYANT, H. A. CASE, A. G. COLLINS, I. J. COX, A. S. HALL, R. R. HARMAN, S. KHENIA, P. MCARTHUR, B. D. ROSS, AND I. R. YOUNG. <i>In Vivo</i> Implementation of Three-Dimensional Phase-En- coded Spectroscopy with a Correction for Field Inhomogeneity	460
T. DUCZMAL, J. KUBIAK, H. A. BUCKMASTER, AND P. MILLIGAN. The De- termination of Absolute and Relative <i>B</i> -Gradients Using Rapid-Scan NMR. A Computational Modeling Evaluation	471
D. CANET, J. BRONDEAU, AND K. ELBAYED. Superfast T_1 Determination by Inversion-Recovery	483
DIKOMA C. SHUNGU AND RICHARD W. BRIGGS. Application of 1D and 2D ^{23}Na Magnetization-Transfer NMR to the Study of Ionophore-Mediated Transmembrane Cation Transport	491
DAVID R. DULING, ANN G. MOTTEN, AND RONALD P. MASON. Generation and Evaluation of Isotropic ESR Spectrum Simulations	504
A. SCHWEIGER AND R. R. ERNST. Pulsed ESR with Longitudinal Detection. A Novel Recording Technique	512
A. A. BOTHNER-BY AND R. SHUKLA. Spin-Locked States of Homonuclear Two-Spin Systems	524

F. D. DOTY, T. J. CONNICK, X. Z. NI, AND M. N. CLINGAN. Noise in High-Power, High-Frequency Double-Tuned Probes	536
D. VAN DER PUTTEN AND K. O. PRINS. ^{13}C Cross Polarization and Spin Relaxation in Adamantane at Pressures up to 7 kbar	550

NOTES

HYPOLITO JOSÉ KALINOWSKI. ENDOR of F Centers in Potassium Cyanide	562
LON J. MATHIAS, DOUGLAS G. POWELL, AND JAMES L. BRIDGES. A Low-Volume Insert for Solid-State Magic-Angle Spinning NMR of Small Samples	566
STEPHEN D. KINRADE AND THOMAS W. SWADDLE. A Sample Tube for NMR Studies at Elevated Pressures and Temperatures	569
NICHOLAS J. HEATON, REGITZE R. VOLD, AND ROBERT L. VOLD. Deuterium Quadrupole-Echo NMR Spectroscopy. IV. Inversion of Full Width Deuterium Powder Patterns	572

COMMUNICATIONS

JOSEPHA M. FU, STEPHEN A. SCHROEDER, CLAUDE R. JONES, ROBERT SANTINI, AND DAVID G. GORENSTEIN. Use of Pure-Absorption-Phase $^{31}\text{P}/^1\text{H}$ 2D COLOC NMR Spectra for Assignment of ^{31}P Signals of Oligonucleotides	577
C. C. HANSTOCK, D. L. ROTHMAN, T. JUE, AND R. G. SHULMAN. Volume-Selected Proton Spectroscopy in the Human Brain	583
JEAN-MARC BÖHLEN, STEPHEN WIMPERIS, AND GEOFFREY BODENHAUSEN. Observation of Longitudinal Three-Spin Order for Measuring Dipole-Dipole Cross Correlation	589
M. L. GYNGELL, J. FRAHM, K. D. MERBOLDT, W. HÄNICKE, AND H. BRUHN. Motion Rephasing in Gradient-Localized Spectroscopy ..	596
LEWIS E. KAY AND J. H. PRESTEGARD. Spin-Lattice Relaxation Rates of Coupled Spins from 2D Accordion Spectroscopy	599
A. J. SHAKA, S. P. RUCKER, AND A. PINES. Iterative Carr-Purcell Trains	606
JOHN CAVANAGH AND JAMES KEELER. Multiplet Effects in Two-Dimensional Double-Quantum-Filtered Zero-Quantum Spectroscopy ...	612
AUTHOR INDEX FOR VOLUME 77	618

The Subject Index for Volume 77 will appear in the December 1988 issue as part of a cumulative index for the year 1988.



Digitized by the Internet Archive
in 2023

Information for Authors

The *Journal of Magnetic Resonance* includes papers dealing with the theory, techniques, methods of spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Original papers only will be considered. Manuscripts are accepted for review with the understanding that the same work has not been published, that it is not under consideration for publication elsewhere, and that its submission for publication has been approved by all of the authors and by the institution where the work was carried out; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in the *Journal of Magnetic Resonance* represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

A signed photocopy of the copyright assignment form which appears following this "Information" should be submitted to the Editor along with each manuscript. (This form will not be binding if the manuscript is not accepted for publication in the *Journal of Magnetic Resonance*.)

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form that is sent to the authors with the proofs that the authors receive. The journal *assesses no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, **Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32611.**

Communications and Notes

Communications are preliminary accounts of work which, in the Editor's judgment, merit expedited publication because of special novelty or general interest. A Communication must be especially carefully prepared. Since it may not be refereed and the author will not receive galley proofs for correction, it is the responsibility of the author to ensure that the manuscript as submitted is free of typographical or substantive errors. The length of a Communication should be no more than that corresponding to five printed pages. Notes are complete accounts of work of limited scope.

Communications and Notes require no abstract and are not divided into sections.

Form of the Manuscript

Manuscripts should be submitted in triplicate. The original typewritten copy should be supplied; printout from a computer is acceptable only if it is of "letter quality." All typing must be double-spaced, including references, footnotes, and figure captions, on one side of paper approximately 22×28 cm (8.5×11 in.). Each page of the manuscript should be numbered. If the paper is lengthy, it may be divided into sections, but the sections should not be numbered. The first line of each paragraph is indented.

Cover Page. The first page contains the article title, the author's name, the laboratory where the work was done, and the address of the laboratory. At the bottom of this page should appear any footnotes to the title (indicated by superscript *, †, ‡).

Abstract. The second page of the manuscript for each regular paper should contain an abstract of 50–200 words, summarizing the nature and results of the research described. The abstract must be completely self-contained, having no references to items appearing in the body of the manuscript.

Equations, Symbols, and Abbreviations. Mathematical equations and symbols must be typewritten wherever possible. Equation numbers are given in *square* brackets to the right of the equation, and references in the text to equations should be in the form “Eq. [3].” Greek letters may be identified in pencil in the margin. Other nonstandard mathematical symbols should be clearly identified, in a separate list if necessary. Symbols for vectors and tensors should be clearly marked. The American Chemical Society’s *Style Guide*, 1986, or the *Style Manual of the American Institute of Physics* should be consulted for standard abbreviations, names, and symbols for units, as well as for important suggestions about grammar, style, and usage.

References. Literature references are cited in numerical order in the text by *in-line*, *parenthesized*, *italic* numerals. References to “unpublished” or “to be published” work from the author’s laboratory should not be given. However, papers actually accepted may be referred to as “in press” if the name of the journal is included.

The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author’s initials, last name, journal name, volume, initial page number, and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of *Chemical Abstracts Service Source Index*, 1985. For book references, the form is author’s name, name of the book in quotation marks, editor’s name (if any), edition if other than the first, chapter or page number, publisher’s name, place of publication, and year of publication.

Footnotes. Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in the print at the bottom of the page on which it is cited. In the manuscript, any footnotes to be included are gathered together in numerical order on a separate page.

Tables. Tables are numbered consecutively with Arabic numerals and are mentioned in order in the text. Each table should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is provided with a title and typed on a separate sheet of paper. Footnotes to the tables are placed directly below it and are indicated by superscript, lowercase, *italic* letters (*a,b,c*).

Figures and Diagrams. Figures are numbered consecutively with Arabic numerals and are mentioned in order in the text. They must be carefully drawn in black, waterproof drawing ink, to draftsman’s standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units for the two axes, and should be large enough to be legible after reduction of 50–60%. Legends are to be typed together on a separate sheet. Small figures must be mounted on sheets of full manuscript page size. Larger originals must be photographically reduced to page size and glossy high-contrast prints of this size must be supplied by the author. The original and two duplicates of each figure are required. Ink drawings should also be supplied for complex molecular formulas or diagrams which the printer cannot readily set in type. Illustrations in color can be accepted only if the authors defray the cost.